

ASHRAE® JOURNAL

The magazine of the American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.



Energy-Efficient Health-Care Facilities

A
L
S
O

· Selecting DOAS Equipment · Science of Evaporation Key to Murder Trial
· Preventing Frost Heave · Germs, Flying and the Truth · Selecting Fans

CONTENTS

Vol. 52, No. 4 | April 2010



22



42



54

Features

- 22** Washcloth Drying Time
The Science of Evaporation Is Key to Defense in Murder Trial
By Roy Otterbein, P.E.
- 30** Selecting DOAS Equipment
With Reserve Capacity
By John Murphy

2010 ASHRAE TECHNOLOGY AWARDS

HEALTH-CARE FACILITIES

- 42** Greening Hospitals
By Paul Switenki, P.E.
- 50** Sustainable Remedy for Hospital
By Don M. Iverson, P.E.

Departments

- 4 Commentary 18 Letters 86 Classified Advertising
6 Industry News 20 Meetings and Shows 88 Advertisers Index

Standing Columns

- 54** Building Sciences
Double Rubble Toil & Trouble
By Joseph W. Lstiburek, Ph.D., P.Eng.
- 60** Emerging Technologies
Variable Frequency Drives, Part 1: The Technology
By John Dieckmann; Kurtis McKenney; James Brodrick, Ph.D.
- 64** Technical Topics
Selecting Efficient Fans
By John Murphy, Ph.D.
- 66** Technical Topics
Dual-Capacity Heat Pumps
By Steve Kavanaugh, Ph.D.
- 70** IAQ Applications
Germs, Flying, and the Truth
By Douglas S. Walkinshaw, Ph.D., P.Eng.
- 74** International Column
Propane Replacing R-22
By Karin Jahn, Ph.D.

Cover image © Images.com/Corbis

ASHRAE® Journal (ISSN 0001-2491) **MISSION STATEMENT** | ASHRAE Journal reviews current HVAC&R technology of broad interest through publication of application-oriented articles. ASHRAE Journal's editorial content ranges from back-to-basics features to reviews of emerging technologies, covering the entire spectrum of professional interest from design and construction practices to commissioning and the service life of HVAC&R environmental systems. **PUBLISHED MONTHLY** | Copyright 2010 by the American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc., 1791 Tullie Circle N.E., Atlanta, GA 30329. Periodicals postage paid at Atlanta, Georgia, and additional mailing offices. **LETTERS/MANUSCRIPTS** | Letters to the editor and manuscripts for publication should be sent to: Fred Turner, Editor, ASHRAE Journal, fturner@ashrae.org. **SUBSCRIPTIONS** | \$8 per single copy (includes postage and handling on mail orders). Subscriptions for members \$6 per year, included with annual dues, not deductible. Nonmember \$59 (includes postage in USA); \$79 (includes postage for Canadian); \$149 international (includes air mail). Expiration dates vary for both member and nonmember subscriptions. Payment (U.S. funds) required with all orders. **CHANGE OF ADDRESS** | Requests must be received at subscription office eight weeks before effective date. Send both old and new addresses for the change. ASHRAE members may submit address changes at www.ashrae.org/address. **POSTMASTER** | Send form 3579 to: ASHRAE Journal, 1791 Tullie Circle N.E., Atlanta, GA 30329. Canadian Agreement Number 40064709.

ONLINE at ASHRAE.org | Feature articles are available online. Members can access articles at no cost. Nonmembers may purchase articles at www.ashrae.org/bookstore. **CUSTOM ARTICLE REPRINTS** | Reprints are available from The YGS Group, call 800-290-5460 or Email ASHRAEreprints@theYGSgroup.com. **MICROFILM** | This publication is microfilmed by National Archive Publishing Company. For information on cost and issues available, contact NAPC at 800-420-NAPC or www.napubco.com. **PUBLICATION DISCLAIMER** | ASHRAE has compiled this publication with care, but ASHRAE has not investigated and ASHRAE expressly disclaims any duty to investigate any product, service, process, procedure, design or the like which may be described herein. The appearance of any technical data, editorial material or advertisement in this publication does not constitute endorsement, warranty or guarantee by ASHRAE of any product, service, process, procedure, design or the like. ASHRAE does not warrant that the information in this publication is free of errors and ASHRAE does not necessarily agree with any statement or opinion in this publication. The entire risk of the use of any information in this publication and its supplement is assumed by the user.